



BEECH TIMBER

WOOD VENEER & LUMBER INDUSTRY

bmhnorthwood.com

BEECH TIMBER

SPECIFICATION

THICKNESS

25-30-40-50-60-70-80 mm

LENGTH

500-900 / 1000-1900 / 2000-3500 mm

WIDTH

10 cm + up / 14 cm + up

QUALITY


A / B

ORIGIN WOOD

UKRAINE



PDF CATALOG



BEECH LUMBER

BEECH A LONG

FACE



BACK



4 faces clear : no red heart, no knots
3 faces clear: sound red heart track
one sound and not-penetrating knot on one face or edge
Notice: boards in 3FC grade are allowed in about 10% from whole quantity

BEECH B LONG

FACE



BACK



red heart allowed, few knots allowed
few knots allowed including a penetrating one
but not on each board.
Notice: boards with small defects are not exceeding 10% from whole quantity

BEECH A MEDIUM

FACE



BACK



4 faces clear : no red heart, no knots
3 faces clear: sound red heart track
one sound and not-penetrating knot on one face or edge
Notice: boards in 3FC grade are allowed in about 10% from whole quantity

BEECH B MEDIUM

FACE



BACK



red heart allowed, few knots allowed
few knots allowed including a penetrating one
but not on each board.
Notice: boards with small defects are not exceeding 10% from whole quantity

